




What Else Could Be Causing Asymptomatic Hematuria?

AUA Guideline 2 Statement: Clinical Principle

“The assessment of the asymptomatic microhematuria patient should include a careful history, physical examination, and laboratory examination to rule out causes of AMH such as infection...”¹




If the cause for hematuria is infectious, the detected pathogen will require a distinct treatment plan.

Most pathogens causing asymptomatic hematuria are difficult to culture, therefore...

GUIDANCE for Hematuria offers the most direct path to identifying and treating the infectious cause for hematuria.



GUIDANCE Hematuria



GUIDANCE Hematuria

	Formulations	Nucleoside Analogs						DNA Terminase Inhibitors	Pyrophosphate Analog	Isoxazole Derivative	Other**
		Acyclovir	Brincidofovir	Cidofovir	Famciclovir	Ganciclovir	Ribavirin	Valacyclovir	Letermovir	Foscarnet	Lefunomide
Adenovirus			✓	✓		✓	✓				
Herpes virus	HHV-1, -2 (HSV-1, -2)	✓	✓		✓			✓			
	HHV-3 (VZV)				✓	✓		✓			
	HHV-4 (EBV)	✓				✓			✓	✓	
	HHV-5 (CMV)		✓			✓		✓		✓	
	HHV-6, -7		✓	✓		✓			✓		
Polyomavirus	BK virus			✓							
	JC virus										✓

✓ = Antiviral for which the consensus (peer reviewed papers) indicates it is safe and effective against this virus.

**Other includes continuous bladder irrigations, analgesia, hyperhydration, forced diuresis, and transfusion to maintain platelet levels above 50,000 cells/mm³ and hematocrit values.

The Benefits of GUIDANCE Hematuria

- Convenient solution for Urology Practices
- Medicare coverage
- Delivers personalized therapy options
- 24 – 48-hour Turn Around Time
 - Fast resolution of Asymptomatic Hematuria
 - Decreased patient anxiety
 - Lower healthcare costs

Order GUIDANCE Hematuria Today
714.966.1221

1. [https://www.auanet.org/guidelines/asymptomatic-microhematuria-\(2012-reviewed-for-currency-2016\)](https://www.auanet.org/guidelines/asymptomatic-microhematuria-(2012-reviewed-for-currency-2016))